



S.C. MATERIAL GROUP S.R.L.

410001, Oradea, România, str. Moscovei nr. 1-3.
 Tel.: 0040 259 43 64 78; Fax.: 0040 259 40 64 22;
 E-mail: sales@material.ro; Web: www.material.ro;
 CUI: RO4231199; J05/2287/1993;
 IBAN: RO14BTRL00501202749257XXX;
 Banca Transilvania, Sucursala Oradea



RETELISTICA		Pret in Lei, TVA inclus
. . . VALABIL DIN DATA DE . . .		04/06/2018
SWITCH --- TP-LINK		
Switch TP-Link TL-SF1005D, 5 porturi 10/100Mbps, Desktop, plastic		52
Switch TP-Link TL-SF1008D, 8 porturi 10/100Mbps, Desktop, plastic		65
Switch TP-Link TL-SG1005D, 5 porturi Gigabit, Desktop, plastic		105
Switch TP-Link TL-SG105, 5 porturi Gigabit, Desktop, metal, suporta IGMP Snooping; IEEE 802.1p QoS, Plug and Play		117
Switch TP-Link TL-SG105E, 5 porturi Gigabit, Desktop, Easy Smart, 16Gbps Capacity, Tag-based VLAN, QoS, IGMP Snooping, Fanless		149
Switch TP-Link TL-SF1016D, 16 porturi 10/100Mbps, Desktop, plastic		157
Switch TP-Link TL-SG1008D, 8 porturi Gigabit, Desktop, plastic		161
Switch TP-Link TL-SG108, 8 porturi Gigabit, desktop, metal, suporta IGMP Snooping; IEEE 802.1p QoS, Plug and Play		180
Switch TP-Link TL-SF1024M, 24 porturi 10/100Mbps, plastic		211
Switch TP-Link TL-SF1016DS, 16 porturi 10/100Mbps, 1U 13" Rackmount, metal		243
Switch TP-Link TL-SG108E, 8 porturi Gigabit, Easy Smart, 16Gbps Capacity, Tag-based VLAN, QoS, IGMP Snooping, Fanless		243
Switch TP-Link TL-SF1016, 16 porturi 10/100Mbps, 1U 19" Rackmount, metal		259
Switch TP-Link TL-SF1024D, 24 porturi 10/100Mbps, Desktop/ Rackmount, 13" metal		284
Switch TP-Link TL-SG1008, 8 porturi Gigabit, 1U 13" Rackmount, Flow Control		317
Switch TP-Link TL-SF1024, 24 porturi 10/100Mbps, 1U 19" Rackmount, metal		320
Switch TP-Link TL-SF1008P, 8 porturi 10/100Mbps, 4 porturi PoE, metal		360
Switch TP-Link TL-SG2008, 8 porturi Gigabit, Smart, Rackmount, TTag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, DHCP Filtering, 802.1P Qos, Rate Limiting, V		416
Switch TP-Link TL-SL2210, 8 porturi 10/100Mbps, 1 port Gigabit, 1 port SFP, 1U Rackmount, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, DHCP Filte		421
Switch TP-Link TL-SG1016D, 16 porturi Gigabit, Desktop/ Rackmount, 13" metal		439
Switch TP-Link TL-SG1008P, 8 porturi Gigabit, 4 porturi PoE IEEE 802.3af, metal, PoE Budget 53W		445
Switch TP-Link TL-SG1016, 16 porturi Gigabit, 1U 19" Rackmount, 32Gbps Capacity, Flow Control		475
Switch TP-Link TL-SG1016DE, 16 porturi Gigabit, 1U 19" Rackmount, Easy Smart, 32Gbps Capacity, Tag-based VLAN, QoS, IGMP Snooping, Fanless		515
Switch TP-Link TL-SG1024D, 24 porturi Gigabit, Desktop/ Rackmount, 13" metal		575
Switch TP-Link TL-SG3210, 8 porturi Gigabit, 2 sloturi SFP, Rackmount, Layer 2 Management, Port/Tag/MAC/Protocol-based VLAN, GVRP, S TP/RSTP/MSTP, Port Isolation, IG		587
Switch TP-Link TL-SG1024, 24 porturi Gigabit, 48Gbps Capacity, 1U 19" Rackmount, Flow Control		605
Switch TP-Link TL-SL2218, 16 porturi 10/100Mbps, 2 porturi Gigabit, 2 porturi SFP Combo, 1U Rackmount, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snoopin		661
Switch TP-Link TL-SF1048, 48 porturi 10/100Mbps, 1U 19" Rackmount, metal		700
Switch TP-Link T2500G-10TS, 8 porturi Gigabit, 2 sloturi SFP, Layer 2 Management, Port/Tag/MAC/Protocol-based VLAN, GVRP, S TP/RSTP/MSTP, Port Isolation, IGMP V1/V2		719
Switch TP-Link TL-SG2210P, 8 porturi Gigabit, PoE IEEE 802.3af, smart, metal		733
Switch TP-Link TL-SG1024DE, 24 porturi Gigabit, 1U 19" Rackmount, Easy Smart, 48Gbps Capacity, Tag-based VLAN, QoS, IGMP Snooping, Fanless		763
Switch TP-Link TL-SL2428, 24 porturi 10/100Mbps, 4 porturi Gigabit, 2 porturi SFP Combo, 1U Rackmount, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snoopin		778
Switch TP-Link TL-SG2216, 16 porturi Gigabit, 2 porturi combo SFP, Rackmount, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, 802.1P Qos, Rate Limit		799
Switch TP-Link TL-SG1008PE, 8 porturi Gigabit, 8 porturi PoE+ IEEE 802.3af/at, 13" Rackmount, metal, PoE Budget 124W		907
Switch TP-Link TL-SG3216, 16 porturi Gigabit, 2 sloturi combo SFP, Rackmount, Layer 2 management, Port/Tag/MAC/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, Port Iso		968
Switch TP-Link T1600G-28TS, 24 porturi Gigabit, 4 porturi combo SFP, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, 802.1P Qos, Rate Limiting, Port T		1022
Switch TP-Link TL-SL5428E, 24 porturi 10/100Mbps, 4 porturi Gigabit, 2 porturi SFP, 1U Rackmount, Layer 2 Management, Port/Tag/Voice /MAC/Protocol-Based VLAN, Q-in-Q(U		1107
Switch TP-Link T2600G-28TS(TL-SG3424), JetStream 24-Port Gigabit L2 Managed Switch with 4 SFP Slots, Rackmount Kit, GUI and CLI management, Port/ MAC/Protocol-bas		1284
Switch TP-Link TL-SG5412F, 12 porturi Gigabit SFP, 4 porturi Gigabit, Rackmount, Layer 2 management, 128 Static Routing rules, Port /Tag/Voice/MAC/Pr otocol-Based VLAN,		1453
Switch TP-Link TL-SG1048, 48 porturi Gigabit, 96Gbps Capacity, 1U 19" Rackmount, Flow Control		1543
Switch TP-Link T1500-28PCT, 24 porturi 10/100Mbps, 4 porturi Gigabit, 2 porturi SFP, Rackmount, Layer 2 Management, Port/Voice/MAC/Protocol- Based VLAN, STP/RSTP/MS		1727
TP-Link JetStream 24-Port Gigabit Stackable Smart Switch with 4 10GE SFP+ Slots, T1700G-28TQ		2159
Switch TP-Link T1600G-28PS, 24 porturi Gigabit, 4 porturi combo RJ45/SFP, POE+, buget 180W, Rackmount, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snoc		2303
Switch TP-Link T2600G-52TS (TL-SG3452), JetStream 48-Port Gigabit L2 Managed Switch with 4 SFP Slots, Rackmount Kit, GUI and CLI management, Port/ MAC/Protocol-bas		2405
Switch TP-Link T1600G-52CTS, 48 porturi Gigabit, 4 porturi combo SFP, Rackmount, Smart, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, 802.1P Qos, Rate Li		2431
Switch TP-Link T2600G-28MPS(TL-SG3424P), JetStream 24-Port Gigabit L2 Managed PoE+ Switch with 4 SFP Slots, Rackmount Kit, GUI and CLI management, 24 10/100/100		2720
JetStream 28-Port Gigabit Stackable L3 Managed Switch		10944
ROUTER --- TP-LINK		
Router Wireless TP-Link TL-WR840N, 1WAN 10/100, 4xLAN 10/100, 2 antene externe, N300, SPI Firewall, WDS Wireless bridge, QoS, buton Wireless ON/OFF, Broadcom, MIM		87
Router Wireless TP-Link TL-WR841N RO, 1WAN 10/100, 4xLAN 10/100, 2 antene fixe 5dBi, N300, Atheros, 2T2R, Cutie si firmware in limba romana		90
Router Wireless TP-Link TL-WR845N, 4*LAN 10/100Mbps, 1*WAN 10/100Mbps, 3 *5dBi Antene Omnidirectionale Fixe, SPI Firewall, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b		103
Router Wireless TP-Link TL-WR802N, 1xLAN/WAN 10/100, 1xMicro USB, antene: on-board, N300, Router Mode, Repeater Mode, Client Mode, AP Mode, WISP Router Mode, E		112
Router Wireless TP-Link TL-MR3020, 1xWAN 10/100, antena interna, N150, 3G/4G sharing, 1xUSB2.0, portabil, compatibil cu modemurile USB LTE/HSPA+/HSUPA/HSDPA/UM		123
Router Wireless TP-Link TL-WR940N, 1xWAN 10/100, 4xLAN 10/100, 3 antene fixe 3dBi, N450, Atheros, 3T3R MIMO		128
TP-Link T300Mbps Wi-Fi Pocket Router/AP/TV Adapter/Repeater, TL-WR810N, 1 10/100Mbps WAN/LAN Port, 1 10/100Mbps LAN Port/1 USB Port/1 Reset Button/1 Operation M		139
Router Wireless TP-Link TL-MR3420, 1xWAN 10/100, 4xLAN 10/100, 2 antene detasabile, N300, 3G/4G sharing, compatibil cu modemurile USB LTE/HSPA+/HSUPA/HSDPA/UM		161
Router Wireless TP-Link TL-WR945N, 1xWAN 10/100, 4xLAN 10/100, 3 antene externe metalice 5dBi, N450		168
Router Wireless TP-Link ARCHER C20, 1xWAN 10/100, 4xLAN 10/100, 2 antene interne, dual-band AC750 (433/300Mbps), 1xUSB2.0, Buton Wireless ON/OFF, buton WPS		176
TP-Link AC900 Router Wireless Dual Band, ARCHER C25, 4 porturi LAN 10/100Mbps, 1 port WAN 10/100Mbps, 3 antene 2.4GHz, 1 antena 5GHz, buton: WPS/Reset/Wireless C		185
Router Wireless TP-Link ARCHER C50, 1xWAN 10/100, 4xLAN 10/100, 2 antene, dual-band AC1200 (300/867Mbps), 1xUSB2.0, Buton Wireless ON/OFF		215
Router Wireless TP-Link ARCHER C60, 4*10/100Mbps LAN Ports, 1*10/100Mbps WAN Port, 2 antene*5GHz/3 antene 2.4GHz, dual-band AC1350 (450/867Mbps), Buton Wireles		232
Router Wireless TP-Link TL-WR1043ND, 1xWAN Gigabit, 4xLAN Gigabit, 3 antene detasabile 5dBi, N450, 1xUSB2.0, Print Server, 3T3R, V4 800+ Mbps Hardware NAT		234
Router Wireless TP-Link ARCHER C2, 1xWAN Gigabit, 4xLAN Gigabit, 2 antene detasabile, dual-band AC750 (433/300Mbps), 1xUSB2.0		246
Router Wireless TP-Link ARCHER C1200, 4*10/100/1000Mbps LAN Ports, 1* 10/100/1000Mbps WAN Port, 3 antene, dual-band AC1200 (300/867Mbps), 1xUSB2.0, Buton Wirel		335
Router Wireless TP-Link ARCHER C7, 1xWAN Gigabit, 4xLAN Gigabit, 3 antene detasabil 5dBi, 3 antene interne, dual-band AC1750 (1300/4 50Mbps), 2xUSB2.0, Buton Wireles		461
TP-Link LTE-Advanced Mobile Wi-Fi, M7310, 1 micro USB port for power supply/1 SIM card slot/1 Micro SD card slot, Power On/Off, Menu, Internal Antenna, IEEE 802.11a/b/g/		554
Router Wireless TP-Link ARCHER C8, 1xWAN Gigabit, 4xLAN Gigabit, 3 antene detasabile, dual-band AC1750 (1300/450Mbps), 1xUSB3.0, 1xUSB2.0, Buton Wireless ON/OFF		585
Router Wireless TP-Link TL-MR6400, 1xWAN 10/100, 3xLAN 10/100, 2 antene detasabile, 2.4Ghz, 300Mbs, 2600 MHz, 2300 MHz, 2100 MHz, 1800 MHz, 900 MHz, 800 MHz		594

Router Wireless TP-Link ARCHER C9, 1xWAN Gigabit, 4xLAN Gigabit, 3 antene detasabile, dual-band AC1750 (1300/600Mbps), 1xUSB3.0, 1xUSB2.0, Buton Wireless ON/OFF	708
Router Wireless TP-Link ARCHER C3150, 4*10/100/1000Mbps LAN Ports, 1* 10/100/1000Mbps WAN Port, 4 antene, MU-MIMO AC3150 3150Mbps, 1x3.0 + 1 *USB2.0, Buton Wireless ON/OFF	1094
Router Wireless TP-Link ARCHER AC3200, 1xWAN 10/100/1000, 4xLAN 10/100/1000, 6 antene, TRI-band AC3200 (1300/600Mbps), 1xUSB3.0, 1xUSB2.0, Buton Wireless/Pow	1121
TP-Link AC5400 Wireless Tri-Band MU-MIMO Gigabit Router, ARCHER C5400, 4 *10/100/1000Mbps LAN Ports, 1*10/100/1000Mbps WAN Port, 8 high- performance antennas,	1525
RANGE EXTENDER --- TP-LINK	
Wireless Range Extender TP-link, N300, Wall Plugged, 2.4GHz, 2 antene interne, 1 port LAN/WAN, Range extender button / Range extender mode, Atheros, 2T2R	111
Wireless Range Extender TP-Link, USB Wi-Fi, Tp-Link Tether, rata de transfer: 300Mbps, antena externa, frecventa: 2,4GHz	117
Wireless Range Extender TP-link, TL-WA855RE, 2.4~2.4835GHz, 2 antene externe, 1*10/100M Ethernet Port (RJ45), (Range Extender) Button, Reset Button	125
Wireless Range Extender TP-Link, N300, 2 antene detasabile, 2.4GHz, 5dBi, auto-extender button, AP / Range extender mode, Atheros, 2T2R	150
Wireless Range Extender TP-link, N300, Wall Plugged, 2.4GHz, 2 antene interne, 1 port LAN/WAN, Range extender button / Range extender mode	151
Wireless Range Extender TP-Link, AC750, 2 antene interioare, Wall Plugged, 433/300Mbps, FARA port LAN/WAN, Range extender button / Range extender mode	173
Wireless Range Extender TP-Link, AC750, 433/300Mbps, 2 antene externe, 1*Gigabit port, Range Extender Button	220
Wireless Range Extender AC1200 TP-Link, RE350, 867/300Mbps, 2 antene externe, 1*10/100/1000M Ethernet Port(RJ45), Range Extender Button	330
Wireless Range Extender TP-Link, AC1200, 867/300Mbps, 3 antene externe, 1*Gigabit port, Range Extender Button	359
Wireless Range Extender TP-Link, AC1750, 1300/450Mbps, 3 antene externe, 1*Gigabit port, Range Extender Button	418
Wireless Range Extender TP-Link, AC1900, 1300/600Mbps, 3 antene externe, 4 porturi 10/100/100Mbps, Reset Button, LED Button, Power Button, Touch screen 4.3", dimensiu	978
ACCESS POINT --- TP-LINK	
Wireless Access point TP-Link TL-WA701ND, 1xLAN 10/100, N150, Ping Watchdog, antena detasabila 4dBi, indoor, 2.4GHz, PoE, AP/ Client/ Bridge/ Repeater, Multi-SSID, WM	135
Wireless Access point TP-Link TL-WA801ND, 1xLAN 10/100, N300, 2 antene detasabile 4dBi, indoor, PoE, 2T2R, QSS Push Button, AP/ Client/ Bridge/ Repeater, Multi-SSID, W	154
TP-Link Access Point wireless N 300Mbps cu montare în doza de pe perete, EAP115-WALL, 10/100Mbps Ethernet (RJ-45) Port*2, antena: Internal 2* 1.8dBi Omni, LED/Wi-Fi Bu	186
Wireless Access point TP-Link TL-WA901ND, 1xLAN 10/100, N450, 3 antene detasabile 4dBi, indoor, PoE, Atheros, 3T3R, QSS Push Button, AP/ Client/ Bridge/ Repeater, Multi-	225
Tp-Link 300Mbps Wireless N Ceiling Mount Access Point, CAP300, Fast Ethernet (RJ-45) Port *1 (Support IEEE802.3af PoE) , Reset, FIT/FAT button, PoE or external 9VDC/0.	258
Wireless Access Point TP-Link EAP115, Fast Ethernet (RJ-45) Port *1 (Support IEEE802.3af PoE), 2*3dBi Omni antena interna, Ceiling /Wall Mounting	266
Wireless Access Point TP-Link EAP110, 1xFast Eternet, 2*antena interna 3dBi, N300, kit montare tavan inclus	272
Wireless Access Point TP-Link CPE210, 2x10/100Mbps port, 2 antene interne de 9dBi, N300, 2x2 MIMO	330
TP-Link 300Mbps Wireless N Outdoor Access Point, EAP110-OUTDOOR, Fast Ethernet (RJ-45) Port *1 (Support Passive PoE) , antena: 2*5dBi External Omni waterproof, Butt	330
Wireless Outdoor Access Point TP-Link CPE220, 300Mbps 12dBi, Built-in 12dBi 2x2 Dual-polarized Directional Antenna, 24V 1A Passive PoE Adapter, CE, FCC, RoHS, IPX5	396
Wireless Access Point TP-Link CPE510, 2x10/100Mbps port, 2 antene interne de 13dBi, N300, 2x2 MIMO	410
TP-Link AC750 Wireless Gigabit Access Point, AP200, 1*10/100/1000Mbps Ethernet Port (RJ45), 2 dual band detachable antennas, WPS Button, Reset Button, LED Button, Pow	416
Wireless Access Point TP-Link EAP120, 1xGigabit, 2*antena interna 4dBi, N300, kit montare tavan inclus	459
Wireless Access Point TP-Link CPE520, 2x10/100Mbps port, Antenă Internă Direcțională 16dBi 2x2 Dual-polarized, MIMO 2x2	490
Wireless Access Point TP-Link EAP220, 1xGigabit, 4*antena interna 4dBi, N600, kit montare tavan inclus	596
Wireless Access Point TP-Link EAP225, Gigabit Ethernet (RJ-45) Port *1 (Support IEEE802.3af PoE), antene interne Omni 2.4GHz:2*4dBi/5GHz:2* 4dBi, AC1200 Dual Band (86	624
TP-Link AC1200 Wireless Gigabit Access Point, AP300, 1*10/100/1000Mbps Ethernet Port (RJ45), 2 dual band detachable antennas, WPS Button, Reset Button, LED Button, Po	634
Wireless Access Point TP-Link EAP245, Gigabit Ethernet (RJ-45) Port *1 (Support IEEE802.3af PoE), antene interne Omni 2.4GHz:3*4dBi/5GHz:3* 4dBi, AC1750 Dual Band (13	675
Wireless Access Point TP-Link EAP320, Gigabit Ethernet (RJ-45) cu support PoE IEEE802.3at, antene interne Omni 2.4GHz:2*6dBi/5GHz:2*7dBi, AC1200 Dual Band (867Mbps/	963
Wireless Access point TP-Link AP500, 1xLAN Gigabit, 3 antene detasabile, 10/100 Ethernet Lan Poe Port, 12V/2.5A	994
Wireless Access Point TP-Link EAP330, Gigabit Ethernet (RJ-45) Port*2 (ETH1 Support IEEE802.3at PoE), antene interne Omni 2.4GHz:3*6dBi/5GHz:3 *7dBi, AC1900 Dual Bar	1080
ADAPTOR WIRELESS --- TP-LINK	
Adaptor wireless TP-Link, N150, USB2.0, suporta PSP X-Link, Mini Size, Buton QSS, Realtek, 1T1R	40
Adaptor wireless TP-Link, N150, USB2.0, Realtek, NANO size	40
Adaptor wireless TP-Link, N150, USB, 2.4GHz, suporta PSP X-Link, Ralink, 1T1R	43
Adaptor wireless TP-Link, N300, USB2.0, Realtek, 2T2R, MINI size	49
Adaptor wireless TP-Link, N150, PCI-E, 1 antena detasabila	50
Adaptor wireless TP-Link, N300, USB2.0, Atheros, 2T2R	51
Adaptor wireless TP-Link, N150 HIGH GAIN, USB2.0, antena detasabila 4dBi, Atheros, 1T1R	56
Adaptor wireless TP-Link, N300 HIGH GAIN, USB2.0, 2 antene fixe, Atheros, 2T2R, buton QSS, cablu extensie USB	79
Adaptor wireless TP-Link, N300, PCI, Atheros, 2 antene detasabile	79
Adaptor wireless TP-Link, AC450, 433Mbps, USB2.0	83
Adaptor wireless TP-Link, N300, PCI-E, 2 antene detasabile	86
Adaptor wireless TP-Link, AC600 Dual-band, 433/150Mbps, USB2.0, Realtek	87
Adaptor wireless TP-Link, AC600 Dual-band, 433/150Mbps, USB2.0, Realtek High Gain	102
Adaptor wireless TP-Link, AC1200 Dual-band, 867/300Mbps, USB3.0, Realtek, 2T2R	157
Adaptor wireless TP-Link, ARCHER T4UH, AC1200 Dual-band, Ultra-fast 1300 (867+400)Mbps wireless speed with 802.11ac, USB3.0, WPS button, Omni Directional, IEEE 802.	169
Adaptor wireless TP-Link, ARCHER T6E, AC1300 Dual-band, 867/400Mbps, PCIEx	243
TP-Link AC1900 High Gain Wireless Dual Band USB Adapter, ARCHER T9UH, USB 3.0, WPS button, IEEE 802.11ac, IEEE 802.11a, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b	251
Adaptor wireless TP-Link, ARCHER T9E, AC1900 Dual-band, 1300/600Mbps, PCIEx	329
ETHERNET ROUTER --- TP-LINK	
Router TP-Link TL-R860, 1xWAN, 8xLAN, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, suporta PPPoE, Dyn	137
Router TP-Link TL-R470T+, 1xWAN 10/100, 1xLAN 10/100, 3xWAN/LAN configurabile, Small Office and Net Café, Load Balance, Advanced fir ewall, Port Bandwidth Control, Po	222
Router TP-Link TL-R480T+, 1xWAN 10/100, 1xLAN 10/100, 3xWAN/LAN configurabile, SMB, Procesor 400MHz, Load Balance, Advanced firewall, Port Bandwidth Control, Port	330
Router TP-Link TL-R600VPN, 1xWAN gigabit, 4xLAN Gigabit, 20 tunele VPN IPsec, 16 tunele PPTP si 16 L2TP, Dial-on-demand, SPI Firewall, IP<> <<>> <<<<>> <>>>>>	330
Router TP-Link TL-ER604W, 1xWAN Gigabit, 3xLAN gigabit, 1xWAN/LAN Gigabit, N300, pana la 30 tunele VPN IPsec, 8 tunele PPTP si 8 L2TP, 2 antene detasabile 5dBi, WDS	446
Router TP-Link TL-ER6020, 2xWAN Gigabit, 2xLAN Gigabit, 1xLAN/DMZ, 1xConsole, pana la 50 tunele VPN IPsec, 16 tunele PPTP si 16 L2TP, Intelligent Load Balance, Link Ba	697
Router TP-Link TL-ER5120, 1xWAN Gigabit, 1xLAN Gigabit, 3xWAN/LAN configurabile, 1xConsole, Advanced Firewall, Bandwidth Control, Session Limit, PPPoE Server, IM/P2P	950
Router TP-Link TL-ER6120, 2xWAN Gigabit, 2xLAN Gigabit, 1xLAN/DMZ , pana la 100 tunele VPN IPsec, 32 tunele PPTP si 32 L2TP, Intelligent Load Balance, Link Backup, IM/	1179
PLACA DE RETEA --- TP-LINK	
Placa de retea TP-Link, 10/100Mbps, PCI, IC PLUS IP100A	24
Placa de retea TP-Link, PCI, 32bit, 10/100, Realtek RTL8139D	32
Placa de retea TP-Link, PCI, 32bit, Gigabit, Realtek RTL8169SC, Auto MDI/MDIX	49
Placa de retea TP-Link, PCI-E, 32bit, Gigabit, Realtek RTL8168B, Auto MDI/MDIX	53
Adaptor TP-Link, USB3.0 la Gigabit Ethernet Network, <>>>>>1000Mbps	88
ANTENA --- TP-LINK	
Antena TP-Link, TL-ANT2408CL, Indoor Omni-directionala 2.4GHz 8dBi, conector RP-SMA, LType, fara cradle, fara cablu	35
Cablu extensie antena Low-loss TP-Link, TL-ANT24EC3S, 2.4GHz, 3 metri, RP-SMA Tata / Mama	48
Cablu extensie antena Low-loss TP-Link, TL-ANT24EC5S, 2.4GHz, 5 metri, RP-SMA Tata / Mama	65
Antena TP-Link, TL-ANT2409A, exterior, directionala Panel 2.4GHz 9dBi, conector RP-SMA, cablu 1 metru	108
Antena TP-Link, TL-ANT2409B, exterior, directionala Panel 2.4GHz 9dBi, conector N-Type, cablu 1 metru	111
Cablu extensie antena Low-loss TP-Link, TL-ANT24EC6N, 2.4GHz, 6 metri, N-Type Tata / Mama	114
Antena TP-Link, TL-ANT2412D, exterior, Omni-directionala 2.4GHz 12dBi, conector N-Type	194
Antena TP-Link, TL-ANT2424B, exterior, GRID 2.4GHz 24dBi, conector N-Type	252
Antena TP-Link, TL-ANT2415D, exterior, Omni-directionala 2.4GHz 15dBi, conector N-Type	255
Antena TP-Link, TL-ANT2414B, exterior, directionala Panel 2.4GHz 14dBi, conector N-Type, cablu 1 metru	272

Antena TP-Link, TL-ANT2414A, exterior, directionala Panel 2.4GHz 14dBi, conector RP-SMA, cablu 1 metru	292
POWERLINE --- TP-LINK	
TP-Link, Adaptor PowerLine 500Mbps, Compact Size, HomePlug AV, Green Powerline, Plug and Play	128
TP-Link Kit PowerLine 500Mbps, Ultra Compact Size, HomePlug AV, Green Powerline, Plug and Play, 2 bucati TL-PA4010	207
TP-Link Kit POWERLINE, HomePlug AV, 500Mbps, Ultra Compact Size, Pass Through, Green Powerline, Plug and Play, 2 bucati TL-PA4010P	265
TP-Link PowerLine KIT, 500Mbps, HomePlug AV, 2 porturi 10/100Mbps, power socket, Range: 300m	314
TP-Link AV1300 Gigabit Powerline Starter Kit, TL-PA8010 KIT, 1200Mbps, 1 *Gigabit Ethernet Port , HomePlug AV, Powerline Ethernet Adapter, 6.5 ft. (2 m) CAT.5eEthernet cabl	431
TP-Link AV1200 Gigabit Passthrough Powerline Starter Kit, 1200Mbps Powerline Datarate, 1*Gigabit Ethernet ports, HomePlug AV2, HomePlug AV, Twin Pack	488
Wi-Fi Kit PowerLine, D-link, AV1200 Gigabit Passthrough, TL-WPA8630P KIT HomePlug AV, 3*Gigabit Ethernet Port, Pair, Reset, LED On/Off, Wi-Fi Clone , IEEE 1901,IEEE 80	819
BATTERY --- TP-LINK	
Baterie externa TP-Link, portabila, TL-PB2600, 2600mAH, 1xUsb, 1xMicro Usb, 5V/1A, Buton Nivel Baterie, greutate 68gr, dimensiuni 93.5x25.6x25.6mm	66
Baterie externa TP-Link, portabila, TL-PB5200, 5200mAH, 1xUsb, 1xMicro Usb, 5V/2.4A, Buton Nivel Baterie, greutate 134gr, dimensiuni 92.7x53.5x22 mm	98
Baterie externa TP-Link, portabila, TL-PB10400, 10400mAH, 2xUSB, 2A, alba, protectii multiple de protectie, functie de lanterna, poate incarca o tableta / smart-phone de pana la	151
Baterie externa TP-Link, portabila, TL-PBG6700, 6700mAh, 1 Micro USB port, 1 USB 2.0 port, 5V/2.4A , Buton Nivel Baterie, greutate 140g, dimensiuni 44.9 x 24.9 x 97.0 mm	151
Baterie externa TP-Link, portabila, TL-PB15600, 15600mAh, 1*MicroUSB, 2 *USB2.0, 2A, 5V/2.4A DC (Curent Continuu), Buton pentru afisarea nivelului de incarcare, Functie Lan	204
Baterie externa TP-Link, portabila, PB50, 10000mAH, 2xUSB2.0, 2A, neagra, poate incarca o tableta / smart-phone de pana la 5 ori	245